



SAHYOG STEEL (INDIA)

Shop No. 6, Sahajanand Arcade, Nr. Hanuman Chowkdi, G.I.D.C., Makarpura, Vadodara - 390 010.
Regd. Off.: 111 / 112, Rainkeshwar Nagar, Alvanaka, Manjalpur, Vadodara - 390 011. (Guj.) INDIA.





ISO 9001 : 2015 REG.No. 15206

ISO 45001:2018
ISO 9001:2015
ISO 14001:2015
CERTIFIED CO.

Ph.: 0265 2633360, M.: +91 90995 53644, +91 97127 53644

Email : sales@sahyogsteel.in / export@sahyogsteel.in

Website : www.sahyogsteel.in



:: website : www.sahyogsteel.in ::



SAHYOG STEEL (INDIA)

COMPANY PROFILE

Formed by a group of young Professionals in Vadodara, **Sahyog Steel (India)** is primarily engaged in stocking & supplying of all Ferrous & Non Ferrous metals in Pipes, Pipe Fittings & Sheets as per ASTM, API, AISI, DIN, JIS, BS, IS standard. Over a Fifteen years of progress have consistently made us realise that more than products, it is understanding the client's requirements and giving maximum service to the customer is what makes us stand apart from others. Over the years we have supplied our products to many prestigious projects in Power plant, Petrochemicals, Fertilizer, Chemical Process Industries, Textile, Paper Industries & Defence. But this doesn't stop us from catering to customers of all sizes. We value for a single piece of requirement to large turnkey project & gives 'MAXIMUM' service to all. We follow stringent Quality Standard to ensure that the products, Performance & Service you get from us is always "MAXIMUM".



Our Products range include :

- ➔ **BW/SW/SCRD Pipe Fittings** : Such as Elbow, Return Bend, Straint and Reducing Tee, Crosses, Lap joint Stubend, Reducers, Unions, Caps, Bush, Plug, Nipples, Couplings, Thredolets, Weldolets, Elbowlets Etc.
- ➔ **Flanges** : Such as WNRF, SORF, SOFF, BLRF, SWRF, LAP JOINT, etc.
- ➔ **Tube Fittings & Ferrules Fittings**
- ➔ **Fasteners** : Such as nuts, bolts, studs, washers and gaskets, etc.

We deal in products having wide application in various Industries such as :

**Oil Refineries ● Chemical Plants ● Fertilizers Plants ● Petrochemicals Plants ● Power Industries
Pharmaceuticals Plants ● Textile Machineries ● Industrial Machineries ● Cement Company ● Sugar Mills**



Quality Policy

Our quality assurance programme is documented in an approved quality assurance manual and covers all manufacturing, sales & service procedures. Stringent control of dimension and mechanical properties starting from the raw material and following right through all production steps to laboratory test as the final product is exercised in order to maintain the high quality fo products.

The quality assurance system assures every product to go through the following Quality systems.

- ➔ Materiel Control System
- ➔ Machining & Dimensional Control
- ➔ Finishing & Marking
- ➔ Process Control System
- ➔ Certification & Supplementary Test



SAHYOG STEEL (INDIA)

Product Range

PIPES



Stainless Steel : ASTM A312 TP 304/ 304L/ 304H / 316/ 316L/ 317/ 317L/ 321/ 310/ 347/ 904L etc.

Carbon Steel : ASTM A53 GR. B/A106 GR. B/API 5L GRADE B/ API 5L GR. X42/46/52/56/60/56/70A333 GR. 3/GR. 6 etc.

Alloy Steel : ASTM A335 GR. P1/ P5/ P9/ P11/ P22/ P91 etc.

Others : Duplex, Super Duplex, Monel, Nickel, Inconel, Hastalloy, Copper, Brass, Bronze, Titanium, Tantalum, Bismuth, Aluminium, High Speed Steel, Zinc, Lead, etc.

Types : Round, Square, Rectangular,

Size : Up to 24" NB (Seamless & Welded)

Wall Thickness : Sch. 5S to Sch. XXS

BUTT WELD FITTINGS



Stainless Steel : ASTM A403 WP 304/ 304L/ 304H / 316/ 316L/ 317/ 317L/ 321/ 310/ 347/ 904L etc.

Carbon Steel : ASTM A234 WPB/ A420.WPL3/ A420 WPL6/ MSS-SP-75 WPHY 42/ 46/ 52/ 56/ 60/ 70 etc.

Alloy Steel : ASTM A234 Wp1/ Wp5/ Wp9/ Wp11/ Wp22/ Wp91 etc.

Others : Duplex, Super Duplex, Monel, Nickel, Inconel, Hastalloy, Copper, Brass, Bronze, Titanium, Tantalum, Bismuth, Aluminium, High Speed Steel, Zinc, Lead, etc.

Types : Elbow, Tee, Reducer, Return Bends, Stub-Ends, Cap, Collar, Cross, Insert etc.

Size : 1/4" NB TO 32" NB (Seamless & Welded)

Wall Thickness : Sch. 5S to Sch. XXS

SCREWED & FORGED FITTINGS



Stainless Steel : ASTM A182 F304/ 304L/ 304H / 316/ 316L/ 317/ 317L/ 321/ 310/ 347/ 904L etc.

Carbon Steel : ASTM A105/ A694 F42/ 46/ 52/ 56/ 60/ 65/ 70/ A350 Lf3/ A350 LF2 etc.

Alloy Steel : ASTM A182 F1/ F5/ F9/ F11/22/ F91 etc.

Others : Duplex, Super Duplex, Monel, Nickel, Inconel, Hastalloy, Copper, Brass, Bronze, Titanium, Tantalum, Bismuth, Aluminium, High Speed Steel, Zinc, Lead, etc.

Types : Elbow, Tee, Union, Cross, Coupling, Cap, Bushing, Plug, Swage, Nipple, Welding Boss, Hexagon Nipple, Barrel Nipple, Welding Nipple, Parallel Nipple, Street Elbow, Hexagon Nut, Hose Nipple, Bend, Adapter, Insert, Weldolet, Elbowlet, Socketlet, Thredolet, Nipolet, Letrolet etc.

Size : 1/4" NB TO 4" NB (Socketweld & Threaded)

Wall Thickness : 3000#, 6000#, 9000#

FLANGES



Stainless Steel : ASTM A182 F304/ 304L/ 304H/ 316/ 316L/ 317/ 317L/ 321/ 310/ 347/ 904L etc.

Carbon Steel : ASTM A105/ A694 F42/ 46/ 52/ 56/ 60/ 56/ 70/ A350 Lf3/ A350 LF2 etc.

Alloy Steel : ASTM A182 F1/ F5/ F9/ F11/ F22/ F91 etc.

Others : Duplex, Super Duplex, Monel, Nickel, Inconel, Hastalloy, Copper, Brass, Bronze, Titanium, Tantalum, Bismuth, Aluminium, High Speed Steel, Zinc, Lead, etc.

Types : Weldneck, Slipon, Blind, Socket Weld, Lap Joint, Spectacles, Ring, Joint, Orifice, Long Weldneck, Deck Flange etc.

Size : 1/2" NB TO 24" NB.

Class : 150#, 300#, 400#, 600#, 900# & 2500#

FASTENERS



Stainless Steel : AISI 304, 304L, 316, 316L, 310, 317, 317L, 321, 347, 410, 420, 904L etc.


Alloy Steel : 4.6, 5.6, 6.6, 8.8, 10.9 & 12.9 / 'R', 'S', 'T' Conditions.

Carbon Steel : Bare Condition, Galvanized, Phosphated, Cadmium Plated, Hot Deep Galvanized, Blackened, Nickel Chrome Plated, etc.

Non Ferrous Metal : Duplex, Super Duplex, Copper, Brass, Aluminium, Titanium, Nichrome, Al.Bronze Phosphorous Bronze etc.

Types : Bolts, Nuts, Washers, Anchor Fasteners, Stud Bolts, Eye Bolt, Stud, Threaded Rod, Cotter Pin, Socket Screw, Fine Fasteners & Spares, Foundations Fasteners etc.

SHEETS, RODS & PLATES



Material Grade : Stainless Steel, Carbon Steel, Alloy Steel, Steam Boiler Quality, Exotic Materials i.e. Incoly, Monel, Hastalloy, Cupronickel, Other Ferrous & Non Ferrous Metals.

Material Grades / Standard / Specification :

Stainless Steel : ASTM A182/A240 Tp304/ 304L/ 304 H/ 316/ 316L/ 317/ 317L/ 321/ 310

Carbon Steel : A515GR60/70, IS 2062

Alloy Steel : ASTM A182/ 387F/ P1/ 5/ 9/ 11/ 22/ 91

Others : Duplex, Super Duplex, Monel, Inconel, Hastalloy, Copper, Brass, Bronze, Titanium etc.



SAHYOG STEEL (INDIA)

C. S. / A. S. / S. S. PIPES AND TUBES SCHEDULE, DIMENSION, WALL THICKNESS, WT. / MTR. (KG.)

DESIG-NATION OF DIA.	O/D DIA	NOMINAL WALL THICKNESS										NOMINAL WALL THICKNESS																		
		SCH.5S	SCH.5S	SCH.5S	SCH.5S	SCH.5S	SCH.40S	SCH.40	SCH.60	SCH.80 SXS	SCH.80	SCH.100	SCH.120	SCH.140	SCH.160	SCH.XXS														
(A) (B)	O/D DIA	Wall Thk.	Weight kg./mtr.	Wall Thk.	Weight kg./mtr.	Wall Thk.	Weight kg./mtr.	Wall Thk.	Weight kg./mtr.	Wall Thk.	Weight kg./mtr.	Wall Thk.	Weight kg./mtr.	Wall Thk.	Weight kg./mtr.	Wall Thk.	Weight kg./mtr.	Wall Thk.	Weight kg./mtr.	Wall Thk.	Weight kg./mtr.	Wall Thk.	Weight kg./mtr.	Wall Thk.	Weight kg./mtr.	Wall Thk.	Weight kg./mtr.	Wall Thk.	Weight kg./mtr.	
6	1/8	10.3	1.24	0.28	-	1.24	0.28	-	1.5	0.33	-	1.73	0.37	1.73	0.37	-	2.41	0.47	2.41	0.47	-	-	-	-	-	-	-	-	-	-
8	1/4	13.7	1.24	0.39	-	1.65	0.49	-	2.00	0.58	-	2.24	0.63	2.24	0.63	-	3.02	0.80	3.02	0.80	-	-	-	-	-	-	-	-	-	-
10	3/8	17.1	1.24	0.49	-	1.65	0.63	-	2.00	0.47	-	2.31	0.84	2.31	0.84	-	3.20	1.10	3.20	1.10	-	-	-	-	-	-	-	-	-	-
15	1/2	21.3	1.65	0.80	1.65	0.80	2.11	1.00	2.11	1.00	2.30	1.07	-	2.77	1.27	2.77	1.27	3.73	1.62	3.73	1.62	-	-	-	-	4.78	1.95	7.47	2.55	
20	3/4	26.7	1.65	1.03	1.65	1.03	2.11	1.28	2.11	1.28	2.55	1.32	-	2.87	1.69	2.87	1.69	3.91	2.20	3.91	2.20	-	-	-	-	5.54	2.90	7.82	3.64	
25	1	33.4	1.65	1.30	1.65	1.30	2.77	2.09	2.77	2.09	2.55	1.94	-	3.38	2.50	3.38	2.50	4.55	3.24	4.55	3.24	-	-	-	-	6.35	4.24	9.09	5.45	
32	1 1/4	42.2	1.65	1.65	1.65	1.65	2.77	2.70	2.77	2.70	3.00	2.90	-	3.56	3.39	3.56	3.39	4.85	4.47	4.85	4.47	-	-	-	-	6.35	5.61	9.70	7.77	
40	1 1/2	28.3	1.65	1.91	1.65	1.91	2.77	3.11	2.77	3.11	3.00	3.35	-	3.68	4.05	3.68	4.05	5.08	5.41	5.08	5.41	-	-	-	-	7.14	7.25	10.16	9.56	
50	2	60.3	1.65	2.40	1.65	2.40	2.77	3.93	2.77	3.93	3.00	4.24	-	3.91	5.44	3.91	5.44	5.54	7.48	5.54	7.48	-	-	-	-	8.71	11.11	11.07	13.40	
65	2 1/2	73.0	2.11	3.69	2.11	3.69	2.11	3.05	2.11	3.05	3.50	6.81	-	5.16	8.63	5.16	8.63	7.01	11.41	7.01	11.41	-	-	-	-	9.53	14.92	14.02	20.40	
80	3	88.9	2.11	4.51	2.11	4.51	2.77	4.79	2.77	4.79	4.00	8.37	-	5.49	11.30	5.49	11.30	7.62	15.30	7.62	15.30	-	-	-	-	11.13	21.35	15.24	27.70	
90	3 1/2	101.6	2.11	5.18	2.11	4.18	2.77	9.47	2.77	9.47	4.00	9.62	-	5.74	13.57	5.74	13.57	8.08	18.53	8.08	18.53	-	-	-	-	15.88	49.11	19.05	57.40	
100	4	114.3	2.11	5.84	2.11	5.84	3.05	8.36	3.05	8.36	4.50	12.18	-	6.02	16.07	6.02	16.07	8.56	22.30	8.56	22.30	-	-	-	-	13.49	33.50	17.12	41.03	
125	5	141.3	2.77	9.47	2.77	9.47	3.40	11.57	3.40	11.57	5.00	16.80	-	6.55	21.77	6.55	21.77	9.53	30.90	9.53	30.90	-	-	-	-	15.88	49.11	19.05	57.40	
150	6	168.3	2.77	11.32	2.77	11.32	3.40	13.84	3.40	13.84	6.35	25.36	-	7.11	28.26	7.11	28.26	10.97	42.50	10.97	42.50	-	-	-	-	16.24	67.50	21.95	79.22	
200	8	219.1	2.77	14.79	2.77	14.79	3.76	19.96	3.76	19.96	6.35	33.31	7.0	36.8	8.18	42.55	8.18	42.55	12.70	64.50	12.70	64.50	15.10	75.92	20.63	100.90	23.01	111.27	22.23	108.0
250	10	273.0	3.40	22.63	3.40	22.63	4.19	27.78	4.19	27.78	6.35	41.77	7.80	51.3	9.27	60.31	9.27	60.31	12.70	81.50	12.70	81.50	15.10	96.00	18.24	114.70	21.41	133.0	25.40	155.0
300	12	323.8	3.96	31.25	4.19	33.02	4.57	36.00	4.57	36.00	6.35	49.70	8.38	65.2	9.53	73.80	10.31	79.7	14.27	109.0	14.27	109.0	17.45	132.0	21.41	160.0	25.40	187.0	28.58	208.0
350	14	355.6	3.96	34.36	-	-	4.78	41.3	6.35	54.6	7.92	67.90	9.53	81.3	9.53	81.30	11.13	94.6	15.09	126.0	12.70	107.0	19.05	158.0	23.80	195.0	27.76	224.0	31.75	253.5
400	16	406.4	4.19	41.56	-	-	4.78	47.29	6.35	62.5	7.92	77.82	9.53	93.9	9.53	93.3	12.70	123.0	16.66	180.0	12.70	123.0	21.41	203.0	26.19	245.0	30.94	286.0	36.53	333.0
450	18	457.2	4.19	46.80	-	-	4.78	53.42	6.35	70.50	7.92	87.74	11.13	122.0	9.53	105.0	14.20	156.0	19.05	206.0	12.70	139.0	23.80	254.0	29.36	310.0	34.93	263.0	39.67	408.3
500	20	508.0	4.78	59.25	-	-	5.54	68.71	6.35	78.50	9.53	117.14	12.70	155.1	9.53	117.20	15.09	183.0	20.62	248.0	12.70	155.1	26.19	311.0	32.54	381.0	38.10	441.0	44.45	508.0
550	22	558.8	4.78	65.30	-	-	5.54	75.58	6.35	86.40	9.53	129.08	12.70	171.0	9.53	129.0	-	-	22.23	294.0	12.70	171.0	28.57	373.0	34.92	451.0	41.27	527.0	47.62	600.0
600	24	609.6	5.54	82.47	-	-	6.35	94.45	6.35	94.70	9.53	141.11	14.30	210.0	9.53	141.0	17.48	255.0	24.61	355.0	12.70	187.0	30.94	434.0	38.89	547.7	46.02	629.0	52.37	719.0
650	26	660.4	-	-	-	-	-	-	7.92	128.0	12.70	203.0	-	-	9.53	153.0	-	-	-	-	12.70	202.0	-	-	-	-	-	-	-	-
700	28	711.2	-	-	-	-	-	-	7.92	137.4	12.70	218.0	15.88	272.0	9.53	165.0	-	-	-	-	12.70	218.0	-	-	-	-	-	-	-	-
750	30	762.0	6.35	118.32	-	-	7.92	147.00	7.92	147.00	12.70	234.6	15.88	290.7	9.53	176.0	-	-	-	-	12.70	235.0	-	-	-	-	-	-	-	-
800	32	812.8	-	-	-	-	-	-	7.92	157.0	12.70	250.6	15.88	312.0	9.53	188.0	17.48	342.0	-	-	12.70	251.0	-	-	-	-	-	-	-	-
850	34	863.6	-	-	-	-	-	-	7.92	167.0	12.70	266.50	15.88	331.7	9.53	200.0	17.48	364.9	-	-	12.70	266.0	-	-	-	-	-	-	-	-
900	36	914.4	-	-	-	-	-	-	7.92	176.8	12.70	282.4	15.88	352.2	9.53	212.0	19.05	420.6	-	-	12.70	282.0	-	-	-	-	-	-	-	-


24.66D-t
1000
Wt/pam + Formula
Weight Stainless Steel Pipe
OD (mm) - W.T. (mm) X W.T. (mm) X 0.02466 = Kg. per mtr.




SAHYOG STEEL (INDIA)

SOCKET WELD FITTING TO ANSI B-16.11

90°ELBOWS




TEE




45°ELBOWS




UNION




COUPLING




REDUCER



HALF COUPLING




CAP



NOM BORE	PIPE O.D.	3000 LBS.									COMMON FACTORS				6000 LBS.				
		A max.	B max.	K	J	L	M	N	P	Q	C min.	D min.	O min.	O min.	A	B	M	K	N
1/8"	10.3	22	18.5	26	16	40	17.3	32	17.5	10	10.7	10	5	8	22	22	20	25	46
1/4"	13.7	22	22	26	18	43	21.2	32	17.5	10	14.1	10	5	8	27	25	24	25	51
3/8"	17.2	25	25	26	19	48	25.4	36	19	10	17.6	10	3	9	27	28	28	26	60
1/2"	21.3	27	32	30	21	51	31	43	22	10.	21.7	10.	6	13	31	34	34	30	72
3/4"	26.7	34	38	36	24	57	37	50	25	13	27	13	6	13	37	42	41	35	80
1"	33.4	37	46	40	25	64	45.2	60	27	13	33.8	13	9	17	42	50	50	40	94
1 1/4"	42.2	42	56	40	29	70	55	70	30	13	42.6	13	9	17	47	59	58	41	100
1 1/2"	48.3	47	62	40	30	79	61.4	78	32	13	48.7	13	9	17	53	67	66	43	122
2"	60.3	56	75	52	37	89	75	95	38	13	61.2	16	15	23	59	84	83	55	
2 1/2"	73.02	60	92	52	48	114	91.3	125	38	16	73.8	16	14	24		102		56	
3"	89.00	76	110	52	51	127	108.8	140	44	16	89.8	16	14	24		121		58	
4"	114.50	88	137	58		150	136.9		48	19	115.5	19	14	24		152		64	

FORGED SCREWED FITTING TO ANSI B-16.11 3000/6000 LBS. THREADED TO ASA B-2.1


90°ELBOWS




TEE




45°ELBOWS




UNION




COUPLING




PIPE CAP



BUSHING



CAP PLUG



(DIMENSIONS IN MM)

NOM BORE	PIPE O.D.	3000 LBS.						COMMON FACTORS						6000 LBS.					
		A	B	C	G	H	K	D	E	F	I	J	L	A	B	C	G	H	K
1/8"	10.3	21	22	17	32	16	19	11	10	40	—	6	—	25	25	19	32	22	—
1/4"	13.7	25	25	19	35	19	25	16	11	43	3	6	32	29	33	22	35	25	27
3/8"	17.2	29	33	22	38	22	25	17.5	13	48	4	8	38	33	38	25	38	32	27
1/2"	21.3	33	38	25	48	29	32	22	15	51	5	8	46	38	46	29	48	38	33
3/4"	26.7	38	46	29	51	35	37	27	16	57	6	10	51	44	56	33	51	44	38
1"	33.4	44	56	33	60	44	41	35	19	64	6	10	60	51	62	35	60	57	43
1 1/4"	42.2	51	62	35	67	57	44	44.5	21	70	7	14	72	60	75	43	67	64	46
1 1/2"	48.3	60	75	43	79	64	44	51	21	79	8	16	80	64	84	44	79	76	48
2"	60.3	64	84	45	86	76	48	63.5	22	88	9	17	94	83	102	52	86	92	51
2 1/2"	73.02	83	102	52	92	92	60	76	27	118	10	21	122	95	121	64	92	108	64
3"	89.00	95	121	64	108	108	65	89	29	121	10	65	140	106	146	79	108	127	68
4"	114.50	114	152	79	121	140	68	117.5	32	150	13	25	180	114	152	79	121	159	75


DIMENSION AND OTHERS SPECIFICATION AS PER CUSTOMERS REQUIREMENTS ARE AVAILABLE ON REQUEST

:: website : www.sahyogsteel.in ::




SAHYOG STEEL (INDIA)


BUTT WELDING PIPE FITTING DIMENSIONAL STANDARD ANSI B-16.9, B-16.28 & MS SS P43




90°Elbow
Long Radius




45°Elbow




90°Elbow
Short Radius




180°Return
Short Radius




180°Return
Long Radius



Tee Equal



CAP



Stubend


Normal Pipe Size		Outside Diameter	Center to Face				Back to Face			Center to Center			Lenght 'L' MS SS P43 B 16.9	
Inch.	mm	D	A	B	C	N	E	F	G	R	M	S	L	L
1/2	15	21.3	38.00	16.0	25.0	---	25.0	48.0	—	76.0	—	35.0	50.8	76.2
3/4	20	26.7	29.00	11.0	29.0	—	25.0	43.0	—	57.0	—	43.0	50.8	76.0
1	25	33.4	38.00	22.0	38.0	25.0	38.0	56.0	41.0	76.0	51.0	51.0	50.8	101.6
1.1/4	32	42.2	48.00	25.0	48.0	32.0	38.0	70.0	52.0	95.0	64.0	64.0	50.8	101.6
1.1/2	40	48.3	57.15	29.0	57.0	38.0	38.0	83.0	62.0	114.0	76.0	73.0	50.8	101.6
2	50	60.3	76.00	35.0	64.0	51.0	38.0	106.0	81.0	152.0	102.0	93.0	63.5	152.4
2.1/2	65	73	95.25	44.0	76.0	64.0	38.0	132.0	100.0	191.0	127.0	105.0	63.5	152.4
3	80	88.9	114.30	51.0	86.0	76.0	51.0	159.0	121.0	229.0	152.0	127.0	63.5	152.4
3.1/2	90	101.6	133.35	57.0	95.0	89.0	64.0	184.0	140.0	267.0	178.0	140.0	76.2	152.4
4	100	114.3	152.0	63.0	105.0	102.0	64.0	210.0	159.0	305.0	203.0	157.0	76.2	152.4
5	125	141.3	190.0	79.0	123.0	127.0	76.0	262.0	197.0	381.0	254.0	186.0	76.2	203.2
6	150	168.3	229.0	95.0	143.0	152.0	89.0	313.0	237.0	457.0	305.0	216.0	88.9	203.2
8	200	219.1	305.0	127.0	178.0	203.0	102.0	414.0	313.0	610.0	406.0	270.0	101.6	203.2
10	250	273.1	381.0	159.0	216.0	254.0	127.0	515.0	391.0	762.0	508.0	324.0	127	254
12	300	323.9	457.0	190.0	254.0	303.0	152.0	619.0	467.0	914.0	610.0	381.0	152.4	254
14	350	355.6	533.0	22.0	279.0	356.0	165.0	711.0	533.0	1067.0	711.0	413.0	152.4	305.0
16	400	406.4	610.0	254.0	305.0	406.0	178.0	813.0	610.0	1219.0	813.0	470.0	152.4	305.0
18	450	457.2	686.0	286.0	343.0	457.0	203.	914.0	686.0	1372.0	914.0	533.0	152.4	305.0
20	500	508	762.0	318.0	381.0	508.0	229.0	1016.0	762.0	1524.0	1016.0	584.0	152.4	305.0
22	550	559	838.0	343.0	419.0	559.0	254.0	1118.0	838.0	1676.0	1118.0	614.0	152.4	305.0
24	600	610	914.0	381.0	432.0	610.0	267.0	1219.0	914.0	1829.0	1219.0	692.0	152.4	305.0
26	650	660	991.0	406.0	495.0	660.0	267.0	—	—	—	—	—	—	—
28	700	711	1067.0	438.0	521.0	771.0	267.0							
30	750	762	1143.0	470.0	589.0	762.0	267.0							
32	800	813	1219.0	502.0	597.0	813.0	267.0							
34	850	864	1295.0	533.0	635.0	864.0	267.0							
36	900	914	1372.0	565.0	673.0	914.0	267.0							






SAHYOG STEEL (INDIA)


Aluminium, Brass, Copper Product Range




ALUMINIUM PIPES



ALUMINIUM CHEQUERED



ALUMINIUM FLAT / ROUND BAR




ALUMINIUM PLATES



ALUMINIUM CHANNEL



ALUMINIUM HINDALCO COIL




ALUMINIUM SHEETS




ALUMINIUM INDUSTRIAL TROUGH




COPPER Round Bar, Flat Bar, Square Bar




ALUMINIUM INGOTS & ANGLES



COPPER PIPES & COILS



BRASS PIPES & RODS



BRASS SHEETS & PLATES

GUN METAL :- Round Bar

P. B. Round Bar


Lead Sheets

COPPER :- EC, Commercial

BRASS :- IS 319, IS 320


PLATE GRADE :- 1100, 1200, 1050, 3003, 5052, 5083, 6061 (HE 20), 6063 (HE 9), 6101 (Ec), 6351 (HE 30), 6082 (HE 30), 7075

:: website : www.sahyogsteel.in ::



Our Formula for Good Business

❖ Quality of Goods ❖ Quick Service ❖ Honesty



SAHYOG STEEL (INDIA)

111/112, RAINKESHWAR NAGAR, ALVANAKA, MANJAPUR, VADODARA - 390011. (Guj.) INDIA.
Ph.: 0265-2633360, M.: +91 90995 53644, +91 97127 53644
Email : sales@sahyogsteel.in / export@sahyogsteel.in



MSME

MICRO, SMALL & MEDIUM ENTERPRISES

सूक्ष्म, लघु एवं मध्यम उद्यम

OUR STRENGTH • हमारी शक्ति

Ministry of MSME, Govt. of India

:: website : www.sahyogsteel.in ::